




Plumb[®]

CooperTools

Plumb

The Plumb brand name has been famous among craftsmen since 1856 and was acquired by The Cooper Group in 1980.

The extensive offering of beautifully balanced striking tools includes standard and specialty hammers, sledges, wedges, axes and hatchets.

Contents

Page No.

Quality striking tools—introduction	P1—P2
Ultralite hammers	P3
Fiberglass hammers	P4
Hickory handled hammers	P4—P6
Ball pein hammers	P6
Tradesmen's hammers	P7—P8
Heavy hammers	P8—P9
Bars	P9
Sledges	P10
Maul	P10
Wedges	P10
Adze	P10
Axes	P11—P13
Hatchets	P14—P16
Rehandling kits	P16
Modules	P17
Numerical index	P18

Special features available on Plumb products

- L – Long handle
- X – Checkered face
- R – Ripping claw

Handle repair codes

- A – Adze eye
- O – Oval eye
- H – Hatchet eye

Note: For Industrial soft faced hammers, see pages 85–86 of the Nicholson section.


P is an abbreviation for Plumb.

Quality Striking Tools

Since 1856 the quality of Plumb tools has been recognized and preferred by tool users throughout the world. The special analysis steel used to make Plumb tools is forged to close tolerances and "double heat treated" to build in the toughness necessary to withstand impact. Extra care is then taken in hardening and tempering to make each part of the tool ready for the specific job it has to do. You can be sure Plumb tools have the toughness, durability and keenness to do the job. Plumb tools are engineered for balance and exacting care is taken to assure the head is "hung" on the handle at the right angle. This built-in balance gives Plumb tools extra driving power. They swing easy—hit hard.

Advantages of Permabond®


Permabond is a red-colored chemical weld used in Plumb tool eyes to join heads and handles together. Patented bonding process replaces conventional wedging which splits wood, allowing moisture to swell and shrink the handle and eventually loosen the head. Permabond seals moisture out, forms a bond so tight it takes about 2 tons of pressure to pull them apart. Permabond is used on all Plumb striking tools and is a visible plus with homeowners and tradesmen alike.



Nail Hammers

- Face radius and chamfer are designed to provide a hard striking face.
- Mid-section is resilient yet extra strong.
- Claws are tough, sturdy; edges are beveled, with uniform taper and bite.

Nail hammers are made in two patterns; curved claw and straight or ripping claw. The face is slightly crowned with the edges beveled, although certain heavy-duty patterns may have checkered faces designed to reduce glancing blows and flying nails. Handles may be wood, tubular steel, or fiberglass. Tubular steel and fiberglass are generally furnished with rubber-type grips. * Try the Plumb test for balance: these finely tuned hammers will actually rock on their claws.



Safety tips

Hand tools are made in various types and sizes, degrees of hardness and different configurations for specific purposes. They should be carefully selected and used only for their intended purpose. Proper use of most types involves certain basic rules:

- Protect your eyes — always wear safety goggles.
- Strike squarely — avoid glancing blows.
- Always use a tool of suitable size and weight for the job.
- The striking face of a hammer should be approximately $\frac{3}{8}$ " larger in diameter than the struck face of a chisel, punch, etc.
- Replace immediately upon chipping or mushrooming.
- Never use a tool with a loose or damaged handle.
- Never use a grinding wheel for redressing a cutting edge or a struck face — use a file or whetstone — redress to original shape and contour.

- Never use a hammer or maul or axe to strike another hammer or maul or axe.
- Never redress a striking face.
- Never use a tool with a dull cutting edge.

WARNING ● BE SAFE ● PROTECT EYES




Nail Hammers and Hatchets are for driving and pulling common nails. Ball Pein Hammers are intended to drive against the softer head of a chisel and for general machinists' use. Any face can be made to chip if struck against another striking tool or hard surface. This will damage the tool, possibly resulting in eye or other injury. Replace immediately if chipping or mushrooming occurs.

Axes and Hatchets

There's a wide variety of Plumb axes and hatchets to suit personal preferences and usage.


The big axe heads come in a choice of the six patterns illustrated. The finish is either a fully polished head and bit, or a painted rust-resistant head with a polished bit. Needless to say, only the highest quality, hardened and tempered forged steel is used throughout. Smaller axe heads and hatchets reflect the many uses to which this handy and versatile tool can be put. Here's a specialist field where the customer knows what he wants . . . and he knows he can get it from Plumb.



Handles

For many good reasons, the traditional choice of material for a striking tool handle is North American red hickory. It looks good and it naturally feels good. And the continuous fibers of this fine stock give great resilience and strength while minimizing impact shock. But man made materials have their advantages too. In 1955 Plumb developed and introduced the fiberglass handle. It can't rust, rot or corrode and despite its light weight it has astonishing strength. Tests on a Tinius-Olsen testing machine have shown that with more than 450 lbs of applied load, a Plumb fiberglass handle won't break.

The latest material, used in the new Ultralite line of hammers, is nickel-chrome plated tubular steel. And after extensive research and trials, Plumb has arrived at a design which is both aesthetically pleasing and functionally correct. With its smart resilient cushion grip, as fitted to fiberglass handles, this new line has the look of a winner.



Plumb® Hammers



Ultralite™ Hammers Premium



11-469



11-473

Strong tubular steel handle in classic handle shape (not round). Polished head, bell and striking face. PermaBond® handle to head construction. Resilient grip for cushioned comfort. Heat treated nickel-chrome plated handle for long life. Engineered for balance.

Cat. No.	Sales No.	Head wt. oz/g	Overall length "/>mm	Shelf Pack wt. lb/k	Shelf Pack	Face
Curved claw						
11-469*	UL20	20/567	13½/343	7.2/3.27	4	Octagon
11-470*	UL16	16/454	13/330	6.0/2.72	4	Octagon
11-471*	UL13	13/369	12½/318	5.2/2.36	4	Octagon
Ripping claw						
11-472*	UL22R	22/624	13½/343	7.6/3.45	4	Bell
11-473*	UL16R	16/454	13/330	6.0/2.72	4	Bell

* Available in master carton of 24

Economy



11-474



11-475

Same as premium except black head painted with durable baked enamel finish.

Cat. No.	Sales No.	Head wt. oz/g	Overall length "/>mm	Shelf Pack wt. lb/k	Shelf Pack	Face
Curved claw						
11-474*	LL16	16/454	13/330	9.0/4.08	6	Bell
Ripping claw						
11-475*	LL16R	16/454	13/330	9.0/4.08	6	Bell


* Available in master carton of 24

Fiberglass Hammers

Premium



11-400




11-416

Full polished finish on head, pole and striking face. Octagon shaped neck and bell. 100% factory balanced. Sturdy fiberglass handle with black cushion grip, and PermaBond® handle attachment.

Cat. No.	Sales No.	Head wt. oz/g	Overall length "/mm	Shelf Pack wt. lb/k	Shelf Pack	Face
Curved claw						
11-400*	FA571	20/567	13½/343	8.0/3.63	4	Octagon
11-402*	FA57	16/454	13/330	6.8/3.08	4	Octagon
11-403*	FA572	13/369	12½/318	6.0/2.72	4	Octagon
Ripping claw						
11-414*	FA571R	22/624	13½/343	8.8/3.99	4	Bell
11-415*	FA57R	16/454	13/330	7.2/3.27	4	Bell
11-416*	FA571RL	22/624	15/377	9.2/4.17	4	Bell
11-417*	FAX571RL	22/624	15/377	9.2/4.17	4	Checkered

* Available in master carton of 24

Regular



11-405




11-418

Polished head, bell and striking face. Round neck and bell. Black molded cushion grip on super strength fiberglass handles. PermaBond® handle attachment.

Cat. No.	Sales No.	Head wt. oz/g	Overall length "/mm	Shelf Pack wt. lb/k	Shelf Pack	Face
Curved claw						
11-405*	FA20	20/567	13½/343	7.6/3.45	4	Bell
11-406*	FA16	16/454	13/330	6.4/2.90	4	Bell
11-407*	FA13	13/369	12½/318	5.6/2.54	4	Bell
Ripping claw						
11-418*	FA20R	20/567	13½/343	7.6/3.45	4	Bell
11-419*	FA16R	16/454	13/330	7.2/3.27	4	Bell

* Available in master carton of 24

Economy



11-654



11-504

Black head painted with durable baked enamel finish. Polished bell and striking face. Hard biting claws and durable fiberglass handle with comfortable cushion grip. Patented PermaBond® handle attachment.

Cat. No.	Sales No.	Head wt. oz/g	Overall length "/mm	Shelf Pack wt. lb/k	Shelf Pack	Face
Curved claw						
11-654*	FG16	16/454	13/330	9.6/4.36	6	Polished Bell
Ripping claw						
11-504*	FG16R	16/454	13/330	9.6/4.36	6	Polished Bell

* Available in master carton of 24

Plumb® Hammers



Ultralite™ Hammers Premium



11-469



11-473

Strong tubular steel handle in classic handle shape (not round). Polished head, bell and striking face. Permabond® handle to head construction. Resilient grip for cushioned comfort. Heat treated nickel-chrome plated handle for long life. Engineered for balance.

Cat. No.	Sales No.	Head wt. oz/g	Overall length "/>mm	Shelf Pack wt. lb/k	Shelf Pack	Face
Curved claw						
11-469*	UL20	20/567	13½/343	7.2/3.27	4	Octagon
11-470*	UL16	16/454	13/330	6.0/2.72	4	Octagon
11-471*	UL13	13/369	12½/318	5.2/2.36	4	Octagon
Ripping claw						
11-472*	UL22R	22/624	13½/343	7.6/3.45	4	Bell
11-473*	UL16R	16/454	13/330	6.0/2.72	4	Bell

* Available in master carton of 24

Economy



11-474



11-475

Same as premium except black head painted with durable baked enamel finish.

Cat. No.	Sales No.	Head wt. oz/g	Overall length "/>mm	Shelf Pack wt. lb/k	Shelf Pack	Face
Curved claw						
11-474*	LL16	16/454	13/330	9.0/4.08	6	Bell
Ripping claw						
11-475*	LL16R	16/454	13/330	9.0/4.08	6	Bell

* Available in master carton of 24

Fiberglass Hammers

Premium



Full polished finish on head, pole and striking face. Octagon shaped neck and bell. 100% factory balanced. Sturdy fiberglass handle with black cushion grip, and PermaBOND® handle attachment.

Cat. No.	Sales No.	Head wt. oz/g	Overall length "/mm	Shelf Pack wt. lb/k	Shelf Pack	Face
Curved claw						
11-400*	FA571	20/567	13½/343	8.0/3.63	4	Octagon
11-402*	FA57	16/454	13/330	6.8/3.08	4	Octagon
11-403*	FA572	13/369	12½/318	6.0/2.72	4	Octagon
Ripping claw						
11-414*	FA571R	22/624	13½/343	8.8/3.99	4	Bell
11-415*	FA57R	16/454	13/330	7.2/3.27	4	Bell
11-416*	FA571RL	22/624	15/377	9.2/4.17	4	Bell
11-417*	FAX571RL	22/624	15/377	9.2/4.17	4	Checkered

* Available in master carton of 24

Regular



Polished head, bell and striking face. Round neck and bell. Black molded cushion grip on super strength fiberglass handles. PermaBOND® handle attachment.

Cat. No.	Sales No.	Head wt. oz/g	Overall length "/mm	Shelf Pack wt. lb/k	Shelf Pack	Face
Curved claw						
11-405*	FA20	20/567	13½/343	7.6/3.45	4	Bell
11-406*	FA16	16/454	13/330	6.4/2.90	4	Bell
11-407*	FA13	13/369	12½/318	5.6/2.54	4	Bell
Ripping claw						
11-418*	FA20R	20/567	13½/343	7.6/3.45	4	Bell
11-419*	FA16R	16/454	13/330	7.2/3.27	4	Bell

* Available in master carton of 24

Economy



Black head painted with durable baked enamel finish. Polished bell and striking face. Hard biting claws and durable fiberglass handle with comfortable cushion grip. Patented PermaBOND® handle attachment.

Cat. No.	Sales No.	Head wt. oz/g	Overall length "/mm	Shelf Pack wt. lb/k	Shelf Pack	Face
Curved claw						
11-654*	FG16	16/454	13/330	9.6/4.36	6	Polished Bell
Ripping claw						
11-504*	FG16R	16/454	13/330	9.6/4.36	6	Polished Bell

* Available in master carton of 24

Hickory handled hammers

Autograf Hammers – Premium



Full polished head, pole and striking face. Octagon shaped pole. Quality red full Octagon hickory handle. Factory balanced. Permabond® construction forms a tight bond between head and handle.

Cat. No.	Sales No.	Head wt. oz/g	Overall length "/mm	Shelf Pack wt. lb/k	Shelf Pack Face	Repair Handle No.
Curved claw						
11-435*	OAN11	20/567	13½/343	10.8/4.90	6 Octagon	11-688(A)
11-436*	OAN11½	16/454	13/330	9.0/4.08	6 Octagon	11-689(A)
11-437	OAN11½L	16/454	15½/394	9.6/4.35	6 Octagon	11-690(A)
11-438*	OAN12	13/369	12½/318	8.4/3.81	6 Octagon	11-691(A)
Ripping claw						
11-439	CR11	22/624	13½/343	10.8/4.90	6 Bell	11-688(A)
11-440*	CR11½	16/454	13/330	9.0/4.08	6 Bell	11-689(A)
11-441	CR11L	22/624	16/457	7.2/3.27	4 Bell	11-764(A)
11-893	CR28	28/794	17½/495	11.2/5.08	4 Bell	11-719(A)
11-442*	CR11XL	22/624	16/457	7.2/3.27	4 Checkered	11-764(A)
11-894	CR28X	28/794	17½/495	11.2/5.08	4 Checkered	11-719(A)

* Available in master carton of 24

Leader Hammers – Regular



Polished head, bell and striking face. Round pole. Red hickory handles. Factory balanced. Patented Permabond® process assures tight head to handle attachment.

Cat. No.	Sales No.	Head wt. oz/g	Overall length "/mm	Shelf Pack wt. lb/k	Shelf Pack Face	Repair Handle No.
Curved claw						
11-453	L80	20/567	13½/343	10.8/4.90	6 Bell	11-693(A)
11-454*	L81	16/454	13/330	7.8/3.54	6 Bell	11-694(A)
11-455	L82	13/369	12½/318	7.8/3.54	6 Bell	—
Ripping claw						
11-458	L85	20/567	13½/343	10.8/4.90	6 Bell	11-693(A)
11-459	L86	16/454	13/330	9.0/4.08	6 Bell	11-694(A)
11-847	LX85	20/567	13½/343	10.8/4.90	6 Checkered	11-693(A)

* Available in master carton of 24

Homethrift Hammers – Economy



Black head painted with tough baked enamel finish. Polished bell and striking face. Hickory handle. Permabond® head to handle attachment.

Cat. No.	Sales No.	Head wt. oz/g	Overall length "/mm	Shelf Pack wt. lb/k	Shelf Pack Face	Repair Handle No.
Curved claw						
11-460*	145	16/454	13/330	9.0/4.08	6 Polished Bell	11-694(A)
Ripping claw						
11-463	155	16/454	13/330	9.0/4.08	6 Polished Bell	11-694(A)

* Available in master carton of 24

Repair handle code: (A) adze eye (O) oval eye (H) hatchet eye.

Servall Hammers – Economy



11-464



11-466

Entire head of hammer painted black. Hickory handle. Permabond®.

Cat. No.	Sales No.	Head wt. oz/g	Overall length "/mm	Shelf Pack wt. lb/k	Shelf Pack	Face	Repair Handle No.
Curved claw							
11-465 *	SN13	7/198	11½/292	4.8/2.18	6	Bell	11-696
11-775	SN12	13/369	12½/318	7.8/3.54	6	Bell	—
11-464 *	SN11½	16/454	13/330	9.0/4.08	6	Bell	11-694(A)
11-776	SN20	20-567	13½/343	9.0/4.08	6	Bell	11-693(A)
Ripping claw							
11-466 *	SR11½	16/454	13/330	9.0/4.08	6	Bell	11-694(A)

* Available in master carton of 24.

Ball Pein Hammers Fiberglass



11-430

Rust resistant black forged head with polished peins and peins. Smooth cheeks. Professional fiberglass handle attached to head in tight bonding Permabond® process. Comfortable black cushion grip.

Cat. No.	Sales No.	Head wt. oz/g	Overall length "/mm	Shelf Pack wt. lb/k	Shelf Pack
11-426	FAM16	16/454	12½/324	6.4/2.90	4
11-427	FAM20	20/567	13/330	7.2/3.27	4
11-428	FAM24	24/681	15/377	10/4.54	4
11-429	FAM32	32/908	15/377	11.2/5.08	4
11-430	FAM40	40/1135	15/377	13.2/5.99	4

Hickory handle



11-522

Black ground head. Polished peins and smooth ground cheeks. Select quality hickory handle. Strong Permabond® handle to head attachment.

Cat. No.	Sales No.	Head wt. oz/g	Overall length "/mm	Shelf Pack wt. lb/k	Shelf Pack	Repair Handle No.
11-494	0369	4/113	10½/267	2.4/1.09	6	—
11-495	0370	6/170	10½/267	3.6/1.63	6	—
11-496*	0371	8/227	11½/286	4.8/2.18	6	11-696(A) or 11-721(O)
11-497*	0372	12/340	11½/286	6.0/2.72	6	11-696(A) or 11-721(O)
11-498*	0373	16/454	12½/324	7.8/3.54	6	11-694(A) or 11-722(O)
11-499	0374	20/567	12½/324	10.2/4.63	6	11-694(A) or 11-722(O)
11-520	0375	24/681	15/377	12.0/5.44	6	11-811(A) or 11-723(O)
11-521	0377	32/908	15/377	15.0/6.80	6	11-811(A) or 11-723(O)
11-522	0379	40/1135	15/377	18.0/8.16	6	11-811(A) or 11-723(O)

* Available in master carton of 24

Repair handle code: (A) adze eye (O) oval eye (H) hatchet eye.

Tradesmen's Hammers

Fiberglass Brick Hammers



11-421

Forged head. Polished face, chamfer, bit and back. Fiberglass handle with comfortable cushion grip. Permabond®.

Cat. No.	Sales No.	Head wt. oz/g	Overall length "/mm	Shelf Pack wt. lb/k	Shelf Pack	Repair Handle No.
11-421	FAB24	24/681	13/330	9.2/4.17	4	—
11-422	FAB15	15/425	12 1/4/311	6.0/2.72	4	—

Hickory Handled Brick Hammers



11-491

Forged head. Durable black enamel finish. Sharp chisel and strong hickory handle. Permabond®.

Cat. No.	Sales No.	Head wt. oz/g	Overall length "/mm	Shelf Pack wt. lb/k	Shelf Pack	Repair Handle No.
11-491*	2580	24/681	11/279	10.8/4.90	6	11-694(A)
11-492*	2581	15/425	11/279	8.4/3.81	6	—

*Available in master carton of 24.

Tinner's Hammer



Rust resistant black enamel-finish. Riveting pattern. Lightweight cross pein forged head. Quality hickory handle. Permabond®. Used in sheet metal fabrication.

Cat. No.	Sales No.	Head wt. oz/g	Overall length "/mm	Shelf Pack wt. lb/k	Shelf Pack	Repair Handle No.
11-489	221	12/340	13/330	6.0/2.72	6	11-722(O)

Scaling Hammer



Forged head with durable black enamel finish. Plumb® red hickory handle. Permabond®. Popular welder's tool. Also chips rust and paint.

Cat. No.	Sales No.	Head wt. oz/g	Overall length "/mm	Shelf Pack wt. lb/k	Shelf Pack	Repair Handle No.
11-530	3095	16/454	13/330	7.8/3.54	6	11-694(A)

Repair handle code: (A) adze eye (O) oval eye (H) hatchet eye.

Fiberglass Handled Prospecting Pick



Forged head. Polished face, chamfer and back. Long lasting red fiberglass handle with cushion grip for real comfort. Patented Permabond® handle attachment. Known as the "Rock Hound" hammer.

Cat. No.	Sales No.	Head wt. oz/g	Overall length "/mm	Shelf Pack wt. lb/k	Shelf Pack	Repair Handle No.
11-423	FA470	16/454	12½/318	7.2/3.27	4	—

Hickory Handled Prospecting Pick



Polished face and chamfer highlighted in black enamel finish. Precision forged head. Tough hickory handle. Permabond®. Used by prospectors and geologists.

Cat. No.	Sales No.	Head wt. oz/g	Overall length "/mm	Shelf Pack wt. lb/k	Shelf Pack	Repair Handle No.
11-493	470	16/454	12½/318	7.8/3.54	6	—

Heavy Hammers

Double Faced Engineer's Hammers



11-528

Forged from high quality steel; hardened and tempered for serviceability. Two driving heads. Rust retardant black enamel finish. Polished face. Handles of red hickory. Permabond®.

Cat. No.	Sales No.	Head wt. oz/g	Overall length "/mm	Shelf Pack wt. lb/k	Shelf Pack	Repair Handle No.
11-527	0272	40/1135	14/356	19.2/8.71	6	11-699(O) or 11-811(A)
11-528	0273	48/1362	14/356	21.6/9.80	6	11-699(O) or 11-811(A)
11-529	0274	64/1814	15½/396	28.2/12.79	6	—

Blacksmith Hand Hammers



11-525

Quality steel forgings. Hardened and tempered. Proper weight distribution concentrated behind striking face for added power. Durable black enamel finish. Hickory handle. Permabond®.

Cat. No.	Sales No.	Head wt. oz/g	Overall length "/mm	Shelf Pack wt. lb/k	Shelf Pack	Repair Handle No.
11-523	0281	32/908	14/356	14.4/6.53	6	11-699(O) or 11-811(A)
11-524	0282	40/1135	14/356	19.2/8.71	6	11-699(O) or 11-811(A)
11-525	0283	48/1362	14/356	19.0/8.98	6	11-699(O) or 11-811(A)

Repair handle code: (A) adze eye (O) oval eye (H) hatchet eye.

Hand Drilling Hammer



Black forged head. Red hickory handle. Permabond®. Known as stone cutters hammer. Recommended for striking cold chisels, brick chisels, punches and star drills.

Cat. No.	Sales No.	Head wt. oz/g	Overall length "/mm	Shelf Pack wt. lb/k	Shelf Pack	Repair Handle No.
11-649	E3H	48/1362	10 $\frac{1}{4}$ /273	19.2/8.71	6	—

Bars

Wrecking Bars



Forged high carbon steel. Rust resistant blue finish. Hardened and tempered claw and chisel. Five popular sizes from 12" to 36".

Cat. No.	Sales No.	Bar size "/mm	Overall length "/mm	Shelf Pack wt. lb/k	Shelf Pack
11-870	WB12	$\frac{1}{2}$ Hex/12.70	12/305	8.4/3.81	12
11-871	WB18	$\frac{5}{8}$ Hex/15.87	18/457	11.4/5.17	6
11-872	WB24	$\frac{3}{4}$ Hex/19.05	24/610	21.0/9.53	6
11-873	WB30	$\frac{3}{4}$ Hex/19.05	30/762	25.2/11.43	6
11-874	WB36	$\frac{3}{4}$ Hex/19.05	36/914	29.4/13.34	6


Ripping Bar



Forged high carbon steel. Blue enamel finish to resist rust. Three beveled nail slots. 90° offset curved claw.

Cat. No.	Sales No.	Bar size "/mm	Overall length "/mm	Shelf Pack wt. lb/k	Shelf Pack
11-888	RB1	$1\frac{1}{8}$ hex/17.46	17/432	8.0/3.63	4


Action Bar



Forged carbon steel. Beveled nail slots at both ends. Attractive blue finish. Used to pry, lift, pull, scrape and shape.

Cat. No.	Sales No.	Bar size "/mm x "/mm	Overall length "/mm	Shelf Pack wt. lb/k	Shelf Pack
11-889	PB1	$1\frac{3}{8}$ /35 x $\frac{1}{4}$ /6	13 $\frac{1}{2}$ /343	6.0/2.72	4

Nail Claw



Forged high carbon steel; hex stock. Beveled nail slot. Blue painted finish resists rust. Designed to extract deeply embedded nails.

Cat. No.	Sales No.	Bar size "/mm	Overall length "/mm	Shelf Pack wt. lb/k	Shelf Pack
11-887	NC1	$\frac{9}{16}$ hex/14.27	10/260	6.0/2.72	6

Double faced Sledges



Black forged head. PermaBond® handle attachment takes two tons of pressure to pull loose. Red hickory handle. Rectangular eye on 4 lb. Oval eye on 6–20 lbs.

Cat. No.	Sales No.	Head wt. lb/g	Overall length "/mm	Shelf Pack wt. lb/k	Shelf Pack
11-658	H4HL	4/1814	30/762	30/13.60	6
11-659	H6H	6/2722	34/864	28/12.70	4
11-660	H8H	8/3629	34/864	36/16.33	4
11-661	H10H	10/4536	34/864	44/19.96	4
11-662	H12H	12/5443	34½/870	52/23.58	4
11-663	H16H	16/7257	34½/876	34/15.42	2
11-664	H20H	20/9072	35½/902	42/19.05	2


Wood Chopper's Maul



Black forged head. Oval eye. Red hickory handle. PermaBond®.

Cat. No.	Sales No.	Head wt. lb/g	Overall length "/mm	Shelf Pack wt. lb/k	Shelf Pack
11-670	M6H	6/2722	33½/858	28/12.70	4

Wedges



11-686

Red forged square head pattern. Forged quality steel. Available in two sizes.

Cat. No.	Sales No.	Head wt. lb/g	Shelf Pack wt. lb/k	Shelf Pack
11-685	V4	4/1814	24/10.89	6
11-686	V5	5/2268	30/13.60	6


Adze



Forged from high quality steel. Hardened and tempered to have a sharp cutting edge and sturdy driving head. Rust resistant black finish. No. 11-784 handle must be ordered separately.

No.	Cat. Sales No.	Head wt. oz/g	Overall length "/mm	Shelf Pack wt. lb/k	Shelf Pack
11-564	740	64/1814	—	16/7.25	4
11-784	K740	23/652	33/838	3/1.36	2

Plumb Axes




There's a wide variety of Plumb axes and hatchets to suit personal preferences and usage. The big axe heads come in a choice of the six patterns illustrated. The finish is either a fully polished head and bit, or a painted rust-resistant head with a polished bit. Needless to say, only the highest quality, hardened and tempered forged steel is used throughout.

Premium Axes

Fully polished high quality forged steel heads. Hardened and tempered bits hold sharp edge longer. A fast cutting axe wood-cutters have learned to appreciate. Select growth hickory handles. Permabond®.

Curved Handle



Cat. No.	Sales No.	Type	Head wt. lb/g	Overall length "/>mm	Shelf Pack wt. lb/k	Shelf Pack
11-514	PD35-C36	SB Dayton	3.5/1588	36/914	9.8/4.45	2
11-515	PJ35-C36	SB Jersey	3.5/1588	36/914	9.8/4.45	2
11-516	PM35-C36	SB Michigan	3.5/1588	36/914	9.8/4.45	2

Straight Handle



Cat. No.	Sales No.	Type	Head wt. lb/g	Overall length "/>mm	Shelf Pack wt. lb/k	Shelf Pack
11-517	PMD35-D36	DB Michigan	3.5/1588	36/914	11/4.99	2
11-518	PW35-D36	DB Western	3.5/1588	36/914	11/4.99	2

All American – Dreadnaught

Polished bit. Forged steel heads. Rust resistant black enamel finish on head. Tempered and hardened bits retain their sharp cutting edge. Red hickory handles. PermaBond®.

Curved Handle



11-597



Tasmanian

SB Michigan


SB Dayton

Cat. No.	Sales No.	Type	Head wt. lb/g	Overall length "/mm	Shelf Pack wt. lb/k	Shelf Pack
11-589	AD3-C36	SB Dayton	3.0/1362	36/914	9.0/4.08	2
11-591	AD35-C32	SB Dayton	3.5/1588	32/813	9.7/4.40	2
11-592	AD35-C36	SB Dayton	3.5/1588	36/914	9.7/4.40	2
11-597	AJ35-C32	SB Jersey	3.5/1588	32/813	9.3/4.22	2
11-599	AJ35-C36	SB Jersey	3.5/1588	36/914	9.6/4.36	2
11-607	AMS35-C36	SB Michigan	3.5/1588	36/914	9.7/4.40	2
11-797	ATR45-C36	Tasmanian	4.5/2043	36/914	13.5/6.12	2
11-798	ATR4-C32	Tasmanian	4.0/1816	32/813	10.5/4.76	6
11-799	ATR45-C32	Tasmanian	4.5/2043	32/813	13.0/5.90	6

Straight Handle



11-613



Cruiser

DB Western

SB Dayton

SB Jersey

Cat. No.	Sales No.	Type	Head wt. lb/g	Overall length "/mm	Shelf Pack wt. lb/k	Shelf Pack
11-600	AJ35-S36	SB Jersey	3.5/1588	36/914	9.7/4.40	2
11-608	AD35-S20	SB Dayton	3.5/1588	20/508	9.0/4.08	2
11-627	AA601	Cruisers	2.5/1134	28/711	8.0/3.63	2
11-613	AMD35-D36	DB Michigan	3.5/1588	36/914	11.0/4.99	2
11-616	AW35-D36	DB Western	3.5/1588	36/914	11.0/4.99	2

Fireman's Axe




Forged from high quality steel. With pick at one end. Red blade. Red second growth hickory handles. PermaBond®.

Curved Axe

Cat. No.	Sales No.	Head wt. lb/g	Overall length "/mm	Shelf Pack wt. lb/k	Shelf Pack
11-629	FA6	6.0/2724	36/914	16.7/7.58	2

Boy's Camp Axe



Ideal yard or camp axe. Lightweight for 1 or 2 hand use. Red hickory handles. Permabond®.

Curved Handle

Cat. No.	Sales No.	Head wt. lb/g	Overall length "/mm	Shelf Pack wt. lb/k	Shelf Pack
11-619	AA662	2¼/1020	28/711	6.0/2.72	2

House Axe



Black rust resistant forged head. Lightweight. Hickory handle. Permabond®.

Curved Handle

Cat. No.	Sales No.	Head wt. lb/g	Overall length "/mm	Shelf Pack wt. lb/k	Shelf Pack
11-631	AA665	2¼/1020	19/483	16.2/7.35	6

Hunter's Axe



Great axe for sportsmen or campers. Easy to handle lightweight design. Hickory handle. Permabond®.

Curved Handle

Cat. No.	Sales No.	Head wt. lb/g	Overall length "/mm	Shelf Pack wt. lb/k	Shelf Pack
11-635	AA672	1¼/567	12/305	9.0/4.08	6

Belt Axe




Sharp, fast cutting lightweight axe with belt sheath for sportsmen or campers. Black forged steel head. Red select hickory handle. Permabond®.

Curved Handle

Cat. No.	Sales No.	Head wt. lb/g	Overall length "/mm	Shelf Pack wt. lb/k	Shelf Pack
11-634	682	1¼/567	12/305	10.8/4.90	6

Hatchets

Half Hatchets Fiberglass Handles



11-432

Hardened and tempered bit to hold sharp cutting edge. Strong fiberglass handle with black cushion grip. 11-432 (polished head) 11-433 (black painted head). Permabond®.

Cat. No.	Sales No.	Bit Size. "/mm	Overall length "/mm	Shelf Pack wt. lb/k	Shelf Pack	Repair Handle No.
11-432	FAPH2	3 7/8/86	13 1/2/337	7.2/3.27	4	11-729(H)
11-433	FAH2	3 7/8/92	13 1/2/343	10.0/4.54	4	11-729(H)

Half Hatchets Hickory Handles



11-548

Same as fiberglass except for type of handle.

Cat. No.	Sales No.	Bit Size. "/mm	Overall length "/mm	Shelf Pack wt. lb/k	Shelf Pack	Repair Handle No.
11-541	AH2	3 7/8/86	13 1/2/343	7.6/3.45	4	11-729(H)
11-548	2961	3 1/4/83	13 1/2/337	8/3.63	4	11-729(H)
11-549	2962	3 7/8/92	13 1/2/343	8.4/3.81	4	11-729(H)
11-557	SH2	3 7/8/92	13 1/2/343	9.2/4.17	4	11-729(H)

Broad Hatchet



Black finish. Heavy hatchet with broad single bevel cutting edge. Red Hickory handle. Permabond®.

Cat. No.	Sales No.	Bit size. lb/g	Overall length "/mm	Shelf Pack wt. lb/k	Shelf Pack	Repair Handle No.
11-554	2992	4 1/2/114	15 1/2/394	10.0/4.54	4	—

Expert California Lath Hatchet



Polished head with thin blade. Checkered face. Hickory handle. Permabond®.

Cat. No.	Sales No.	Bit Size. "/mm	Overall length "/mm	Shelf Pack wt. lb/k	Shelf Pack	Repair Handle No.
11-544*	3025	2 1/8/54	12 1/2/318	6.0/2.72	4	11-734(H)

* Available in master carton of 24.

Repair handle code: (A) adze eye (O) oval eye (H) hatchet eye.

Expert Wallboard Hatchet



Rust resistant black painted head with polished bevel and flat checkered face. Red hickory handle. PermaBOND®.

Cat. No.	Sales No.	Bit Size. "/mm	Overall length "/mm	Shelf Pack wt. lb/k	Shelf Pack	Repair Handle No.
11-543	3020	2½/57	13/330	7.2/3.27	4	11-734(H)

Professional Wallboard Hatchet



Forged steel head. Crowned target style face. Balanced. Hickory handle. PermaBOND®.

Cat. No.	Sales No.	Bit Size. "/mm	Overall length "/mm	Shelf Pack wt. lb/k	Shelf Pack	Repair Handle No.
11-895	PWB1	2½/57	14½/362	6.0/2.72	4	—

Expert Box Hatchet



Polished head with thin cutting edge. Checkered face. Long Blade. Red hickory handles. PermaBOND®.

Cat. No.	Sales No.	Bit Size. "/mm	Overall length "/mm	Shelf Pack wt. lb/k	Shelf Pack	Repair Handle No.
11-546	BOX	2½/57	16/402	8.0/3.63	4	11-734(H)

Rigster Hatchet



Black painted head. Checkered face with sharp cutting edge. Hickory handle. PermaBOND®.

Cat. No.	Sales No.	Bit Size. "/mm	Overall length "/mm	Shelf Pack wt. lb/k	Shelf Pack	Repair Handle No.
11-559*	RB2	3½/89	18/457	10.0/4.54	4	11-732(H)

* Available in master carton of 24.

Car Builders Hatchet



Same as Rigster Hatchet only shorter handle.

Cat. No.	Sales No.	Bit Size. "/mm	Overall length "/mm	Shelf Pack wt. lb/k	Shelf Pack	Repair Handle No.
11-561	CBX2	3½/89	13½/343	9.2/4.17	4	11-729(H)

Repair handle code: (A) adze eye (O) oval eye (H) hatchet eye.

Expert Shingling Hatchet



Rust retardant black head finish. Checkered face. Adjustable gauge. Draw Knife inner blade. Leather strap. Hickory handle. PermaBond®.

Cat. No.	Sales No.	Bit Size. "/mm	Overall length "/mm	Shelf Pack wt. lb/k	Shelf Pack	Repair Handle No.
11-558*	565½	2½/54	13/330	8.0/3.63	4	11-734(H)
11-763	HJB	Gauge for 11-558		10.0/4.54	100	—

* Available in master carton of 24.

Rehandling Kits

Quality replacement handles complete with hardwood wedges, metal cross wedges and complete easy to follow instructions.



Cat. No.	Sales No.	Overall length "/mm	Shelf Pack wt. lb/k	Shelf Type	Eye	Replacement for
11-688	KOAN11	13½/343	6/2.72	12	Adze	OAN11, CR11
11-689	KOAN11½	13/330	6/2.72	12	Adze	OAN11½, CR11½
11-690	KOAN11½L	15½/394	7.2/3.27	12	Adze	OAN11½L
11-764	KCR11L	16/406	6/2.72	12	Adze	CR11L, CR11XL
11-691	KOAN12	12½/318	6/2.72	12	Adze	OAN12
11-693	K80	13½/343	6/2.72	12	Adze	L80, L85, LX85, SN20
11-694	K81	13/330	6/2.72	12	Adze	SR11½, L81, L86, SN11½, 3095, 145, 155, 0373, 0374, 2580
11-719	KCR28	17½/444	7.5/3.40	12	Adze	CR28, CR28X
11-699	K281	11½/286	3.6/1.63	12	Adze	0273, 0281, 0282, 0283, 0272
11-696	K83	14/356	6/2.72	12	Oval	0371, 0372, SN13
11-721	K371	11½/286	3.6/1.63	12	Oval	0371, 0372
11-722	K373	13/330	3.6/1.63	12	Oval	221, 231, 253, 0373, 0374
11-730	KS10G	34½/876	9.6/4.35	12	Oval	H6H, H8H, H10H, H12H, H16H, & M6H
11-723	K375	15/381	7.2/3.27	12	Oval	0375, 0377, 0379
11-729	K2962	13½/343	6/2.72	12	Hatchet	2962, CBX2, SH2, AH2, 2961, 2981, FAH2, FAPH2
11-732	KRB2	18/457	7.2/3.27	12	Hatchet	RB2
11-734	K565	16/406	6/2.72	12	Hatchet	BOX, 565½, 3020, 3025, (13" Handle Length)
11-784	K740	33/838	3/1.36	2	Adze	740 Adze
11-811	K375AE	15/381	6/2.72	12	Adze	0375, 0377, 0379, 0273, 0281, 0282, 0283, 0272

Safety Goggles



Industrial quality. Ultra light, impact resistant, washable and well ventilated. Complies with OSHA standards. Attractively carded.

Cat. No.	Sales No.	Type	Shelf Pack wt. lb/k	Shelf Pack
11-513	PSG	Ultra Light	2.0/0.91	6

Plumb modules


For use with the Cooper Tool wall. For additional information regarding the Cooper module system see the last 2 pages of this catalog.

TW-60 (11-552-WD1) Fiberglass hammers module




Size: 16" /400mm x 29" /740mm (A)
Shipping weight: 32 lb/14.51 Kg.
Contains: Two (2) each 11-400 (FA571), 11-402 (FA57), 11-403 (FA572), 11-415 (FA57R), 11-406 (FA16), 11-654 (FG16), TW-60A (11-551) refill assortment only.

TW-61 (11-562 – WD2) Hickory handled hammers module




Size: 16" /400mm x 29" /740mm (A)
Shipping weight: 28 lb/12.70 Kg.
Contains: Two (2) each 11-435 (OAN-11), 11-436 (OAN-11½), 11-438 (OAN12), 11-454 (L81), 11-464 (SN11½), 11-440 (CR11½) TW-61A (11-560) refill assortment only.

TW-63 (11-532) Ultralite hammers module



Size: 16" /400mm x 29" /740mm (A)
Shipping weight: 35 lb/15.87 Kg.
Contains: Two (2) each 11-469 (UL20), 11-470 (UL16), 11-471 (UL13), 11-472 (UL22R), 11-473 (UL16R), 11-474 (LL16), 11-475 (LL16R) TW-63A (11-533) refill assortment only.


TW-62 (11-542 – WD3) Hickory handled Ball pein hammers



Size: 16" /400mm x 29" /740mm (A)
Shipping weight: 28 lb/12.70 Kg.
Contains Two (2) each 11-496 (0371), 11-497 (0372), 11-498 (0373), 11-499 (0374), 11-520 (0375), 11-521 (0377), TW-62A (11-540) refill assortment only.

PAD (11-988) Axe display

Space saver heavy duty wire unit to merchandise your Plumb axes in a minimum of wall space. Keeps tools neatly organized.



Shipping weight: 1 lb/.45 Kg.
Holds 4 axes.

Plumb® Numerical Index

P is an abbreviation for Plumb.

Cat. No.	Sales No.	Page	Cat. No.	Sales No.	Page
11-400	FA571	P4	11-562	TW-61	P17
11-402	FA57	P4	11-564	740	P10
11-403	FA572	P4	11-589	AD3-C36	P12
11-405	FA20	P4	11-591	AD35-C32	P12
11-406	FA16	P4	11-592	AD35-C36	P12
11-407	FA13	P4	11-597	AJ35-C32	P12
11-414	FA571R	P4	11-599	AJ35-C36	P12
11-415	FA57R	P4	11-600	AJ35-S36	P12
11-416	FA571RL	P4	11-607	AMS35-C36	P12
11-417	FAX571RL	P4	11-608	AD35-S20	P12
11-418	FA20R	P4	11-613	AMD35-D36	P12
11-419	FA16R	P4	11-616	AW35-D36	P12
11-421	FAB24	P7	11-619	AA662	P13
11-422	FAB15	P7	11-627	AA601	P12
11-423	FA470	P8	11-629	FA-6	P12
11-426	FAM16	P6	11-631	AA665	P13
11-427	FAM20	P6	11-634	682	P13
11-428	FAM24	P6	11-635	AA672	P13
11-429	FAM32	P6	11-649	E3H	P9
11-430	FAM40	P6	11-654	FG16	P4
11-432	FAPH2	P14	11-658	H4HL	P10
11-433	FAH2	P14	11-659	H6H	P10
11-435	OAN11	P5	11-660	H8H	P10
11-436	OAN11½	P5	11-661	H10H	P10
11-437	OAN11½L	P5	11-662	H12H	P10
11-438	OAN12	P5	11-663	H16H	P10
11-439	CR11	P5	11-664	H20H	P10
11-440	CR11½	P5	11-670	M6H	P10
11-441	CR11L	P5	11-685	V4	P10
11-442	CR11XL	P5	11-686	V5	P10
11-453	L80	P5	11-688	KOAN11	P16
11-454	L81	P5	11-689	KOAN11½	P16
11-455	L82	P5	11-690	KOAN11½L	P16
11-458	L85	P5	11-691	KOAN12	P16
11-459	L86	P5	11-693	K80	P16
11-460	145	P5	11-694	K81	P16
11-463	155	P5	11-696	K83	P16
11-464	SN11½	P6	11-699	K281	P16
11-465	SN13	P6	11-719	KCR28	P16
11-466	SR11½	P6	11-721	K371	P16
11-469	UL20	P3	11-722	K373	P16
11-470	UL16	P3	11-723	K375	P16
11-471	UL13	P3	11-729	K2962	P16
11-472	UL22R	P3	11-730	KM6HS	P16
11-473	UL16R	P3	11-732	KRB2	P16
11-474	LL16	P3	11-734	K565	P16
11-475	LL16R	P3	11-763	HJB	P16
11-489	221	P7	11-764	KCR11L	P16
11-491	2580	P7	11-775	SN12	P6
11-492	2581	P7	11-776	SN20	P6
11-493	470	P8	11-784	K740	P10, P16
11-494	0369	P6	11-797	ATR45-C36	P12
11-495	0370	P6	11-798	ATR4-C32	P12
11-496	0371	P6	11-799	ATR45-C32	P12
11-497	0372	P6	11-811	K375AE	P16
11-498	0373	P6	11-847	LX85	P5
11-499	0374	P6	11-870	WB12	P9
11-504	FG16R	P4	11-871	WB18	P9
11-513	PSG	P16	11-872	WB24	P9
11-514	PD35-C36	P11	11-873	WB30	P9
11-515	PJ35-C36	P11	11-874	WB36	P9
11-516	PM35-C36	P11	11-887	NC1	P9
11-517	PMD35-D36	P11	11-888	RB1	P9
11-518	PW35-D36	P11	11-889	PB1	P9
11-520	0375	P6	11-893	CR28	P5
11-521	0377	P6	11-894	CR28X	P5
11-522	0379	P6	11-895	PWB1	P15
11-523	0281	P8	11-998	PAD	P17
11-524	0282	P8			
11-525	0283	P8			
11-527	0272	P8			
11-528	0273	P8			
11-529	0274	P8			
11-530	3095	P7			
11-532	TW-63	P17			
11-541	AH2	P14			
11-543	3020	P15			
11-544	3025	P14			
11-546	BOX	P15			
11-548	2961	P14			
11-549	2962	P14			
11-552	TW-60	P17			
11-554	2992	P17			
11-557	SH2	P14			
11-558	565½	P16			
11-559	RB2	P15			
11-561	CBX2	P15			

